## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A polymer having the following general formula as a repeating unit[[,]];

[In where in the general formula (I), m and n are 1 or 2, A is any of the following (a-1) to (a-20), and B and B' are identical or different, and are either (b-1) or (b-2)[[.]];

(R<sub>1</sub> and R<sub>2</sub> of (a-1) and R<sub>3</sub> and R<sub>5</sub> of (a 20) are identical or different, and R<sub>1</sub> to R<sub>5</sub> and R<sub>2</sub> are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom); and

 $(R_7 \text{ and } R_8 \text{ of (b-1)} \text{ and } R_9 \text{ and } R_{10} \text{ of (b-2)} \text{ are respectively identical or different, and } R_7 \text{ to } R_{10} \text{ and } R_8 \text{ are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.}}$ 

2. (Currently Amended) An electroluminescent device having a layer including a polymer having a repeating unit represented by the following general formula (I) between a pair of electrodes[[.]]:

[In where in the general formula (I), m and n are 1 or 2, A is any of the following (a-1) to (a-20), and B and B' are identical or different, and are either (b-1)-or (b-2)[[.]]:

 $(R_1 \text{ and } R_2 \text{ of (a-1)})$  and  $R_3 \text{ and } R_5 \text{ of (a-20)}$  are identical or different, and  $R_1 \text{ to } R_5 \text{ and } R_2$  are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.); and

 $(R_7 \text{ and } R_8 \text{ of (b-1)})$  and  $R_9 \text{ and } R_{10} \text{ of (b-2)}$  are respectively identical or different, and  $R_7 \text{ to } R_{10} \text{ and } R_8$  are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.)

- 3. (Currently Amended) The light-emitting device according to claim 1 er 2, wherein the layer including the polymer is a layer formed by electrolytic polymerization.
- 4. (Currently Amended) A light-emitting device having a plurality of electroluminescent devices,

wherein each of the plurality of electroluminescent devices has an opposed pair of

electrodes and a layer including a polymer, which is formed between the pair of electrodes, and

wherein the polymer is a compound having a repeating unit represented by the following general formula (I)[[.]]:

[In where in the general formula (I), m and n are 1 or 2, A is any of the following (a-1) to (a-20), and B and B' are identical or different, and are either (b-1) or (b-2)[[.]]:

 $(R_1 \text{ and } R_2 \text{ of (a-1)} \text{ and } R_5 \text{ and } R_6 \text{ of (a-20)} \text{ are identical or different, and } R_1 \text{ to } R_6 \text{ and } R_2 \text{ are a hydrogen atom, a helogen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.); and$ 

 $(R_7 \text{ and } R_8 \text{ of (b-1)} \text{ and } R_9 \text{ and } R_{10} \text{ of (b-2)} \text{ are respectively identical or different, and } R_7 \text{ to } R_{10} \text{ and } R_8 \text{ are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.)}$ 

5. (Original) The light-emitting device according to claim 4, wherein at least one of the plurality of electroluminescent devices has the polymer which is different from those of

the other electroluminescent devices.

6. (Currently Amended) A light-emitting device baving comprising:

a substrate having an insulating surface;

a plurality of stripe-shaped first electrodes formed at the insulating surface of the substrate;

a layer including a polymer, which is formed on each of the plurality of first electrodes; and

a plurality of stripe-shaped second electrodes arranged to be orthogonal to the first electrodes, which are formed on the plurality of layers including the polymer,

wherein the polymer is a compound having a repeating unit represented by the following general formula (I)[[.]]:

(Formula I)

[In where in the general formula (I), m and n are 1 or 2, A is any of the following (a-1) to (a-20), and B and B' are identical or different, and are either (b-1) or (b-2)[[.]];

 $(R_1 \text{ and } R_2 \text{ of (a-1)})$  and  $R_3 \text{ and } R_5 \text{ of (a-20)}$  are identical or different, and  $R_1 \text{ to } R_5 \text{ and } R_2 \text{ are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.); and$ 

 $(R_7 \text{ and } R_8 \text{ of (b-1)} \text{ and } R_9 \text{ and } R_{10} \text{ of (b-2)} \text{ are respectively identical or different, and } R_7 \text{ to } R_{10} \text{ and } R_8 \text{ are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.}$ 

- 7. (Currently Amended) The light-emitting device according to claim 6, wherein at least one of the plurality of layers including the polymer has the polymer which is different from those of the other layers including the polymer.
- 8. (Currently Amended) The light-emitting device according to claim 6 or 7, wherein the layers including the polymer are layers formed by electrolytic polymerization.
  - 9. (Currently Amended) A light-emitting device having comprising:
  - a substrate having an insulating surface;
  - a plurality of first electrodes formed at the insulating surface of the substrate;
- a layer including a polymer, which is formed on each of the plurality of first electrodes; and

a second electrode opposed to each of the plurality of first electrodes with the plurality of layers including the polymer interposed in between,

wherein polymer is a compound having a repeating unit represented by the following general formula (I)[{.]]:

(Formula I)

$$\left(B\right)_{mA}\left(B\right)_{n}$$
 ... (1)

[In where in the general formula (I), m and n are 1 or 2, A is any of the following (a-1) to (a-20), and B and B' are identical or different, and are either (b-1) or (b-2)[[.]];

 $(R_1 \text{ and } R_2 \text{ of (a-1)} \text{ and } R_3 \text{ and } R_5 \text{ of (a-20)} \text{ are identical or different, and } R_1 \text{ to } R_5 \text{ and } R_2 \text{ are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.): and$ 

 $(R_7 \text{ and } R_8 \text{ of (b-1)} \text{ and } R_9 \text{ and } R_{10} \text{ of (b-2)}$  are respectively identical or different, and  $R_7 \text{ to } R_{10} \text{ and } R_8$  are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.)

- 10. (Currently Amended) The light-emitting device according to claim 9, wherein at least one of the plurality of layers including the polymer has the included polymer which is different from those of the other layers including the polymer.
- 11. (Currently Amended) A light-emitting device having a plurality of first to third pixels that emit light in different colors from each other on a substrate having an insulating surface, having comprising:
  - a plurality of first electrodes;
- a layer including a polymer, which is formed on each of the plurality of first electrodes; and
- a second electrode opposed to the plurality of first electrodes, which is formed on the layer including the polymer,

wherein the first electrode is provided with respect to each of the plurality of first to third pixels, and the second electrode is provided in common with the plurality of first to

third pixels, and

wherein the polymer is a compound that has a repeating unit represented by the following general formula (I), and the polymer of the layer including the polymer is different from each other in the first to third pixels[[.]]:

[In where in the general formula (I), m and n are 1 or 2, A is any of the following (a-1) to (a-20), and B and B' are identical or different, and are either (b-1) or (b-2)[[-]]:

 $(R_1 \text{ and } R_2 \text{ of (a-1) and } R_3 \text{ and } R_3 \text{ of (a-20)}$  are identical or different, and  $R_1 \text{ to } R_4 \text{ and } R_2$  are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.); and

(R<sub>7</sub> and R<sub>8</sub> of (b-1) and R<sub>9</sub> and R<sub>10</sub> of (b-2) are respectively identical or different, and R<sub>7</sub> to R<sub>10</sub> and R<sub>8</sub> are a hydrogen atom, a hologen halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.)

12. (Currently Amended) The light-emitting device according to any one of claims claim 9 to 11, wherein the layer including the polymer is a layer formed by electrolytic polymerization.

- 13. (Currently Amended) The light-emitting device according to any one of claim 9 to claim 11, has , said device further comprising a plurality of data signal lines, the a plurality of scan signal lines, and a plurality of nonlinear elements connected to one of the data signal lines and one of the scan signal lines, wherein the plurality of first electrodes are respectively the nonlinear elements.
- 14. (Original) The light-emitting device according to claim 13, wherein at least a thin film transistor is used as the nonlinear elements.
- 15. (New) The light-emitting device according to claim 2, wherein the layer including the polymer is a layer formed by electrolytic polymerization.
- 16. (New) The light-emitting device according to claim 7, wherein the layers including the polymer are layers formed by electrolytic polymerization.
- 17. (New) The light-emitting device according to claim 10, wherein the layer including the polymer is a layer formed by electrolytic polymerization.
- 18. (New) The light-emitting device according to claim 11, wherein the layer including the polymer is a layer formed by electrolytic polymerization.
- 19. (New) The light-emitting device according to claim 10, said device further comprising a plurality of data signal lines, a plurality of scan signal lines, and a plurality of nonlinear elements connected to one of the data signal lines and one of the scan signal lines, wherein the plurality of first electrodes are respectively the nonlinear elements.
- 20. (New) The light-emitting device according to claim 11, said device further comprising a plurality of data signal lines, a plurality of scan signal lines, and a plurality of nonlinear elements connected to one of the data signal lines and one of the scan signal lines, wherein the plurality of first electrodes are respectively the nonlinear elements.

21. (New) A polymer having the following general formula as a repeating unit:

where in the general formula (I), m and n are 1 or 2, A is a moiety comprising an hydrocarbon moiety, and B and B' are identical, and are (b-1); and

 $R_7$  and  $R_8$  of (b-1) are respectively identical or different; and  $R_7$  and  $R_8$  are a hydrogen atom, a halogen atom, or an organic substituent that may include an oxygen atom, a sulfur atom or a nitrogen atom.